


C8X-800 HI

MINIDUMPER



Honda




GX 390

Spare parts catalogue
C8x-800_H3-HI


Index

| | |
|---|----|
| CHASSIS | 3 |
| DASHBOARD / BODYWORK | 5 |
| TRANSMISSION | 7 |
| WHEELS AND ROLLERS | 9 |
| BRAKE AND ACCELERATOR CABLES | 11 |
| HYDRAULIC SYSTEM (TANK) | 13 |
| HYDRAULIC SYSTEM (TRACTION) | 15 |
| ENGINE BONNET | 17 |




CRD.71.001.0

| # | Code | Description | Specification | UM | Qty |
|-----|------------------|--------------------------|-------------------|----|-----|
| 1 | C3300.00.01 | CHASSIS | C8X-800 RI/RIA/AC | NR | 1 |
| 1a | C3300.01.01 | CHASSIS | C8X-800 HI/HAC | NR | 1 |
| 2 | C0280.00.04 | HEART CRICKET | 7/16" | NR | 4 |
| 3 | C3200.07.01 | PLATFORM | C7x-700 | NR | 1 |
| 4 | C3100.04.02 | C3100.04.02 | | NR | 2 |
| 5 | C7081.03.02 | TRACK TENSIONER COVER 60 | | NR | 2 |
| 6 | C0190.32.03 | BOLT | M6x20 | NR | 12 |
| 7 | C0189.01.02 | INSERT | M6 | NR | 12 |
| 9 | C0190.25.05 | T.E. SCREW | M12x40 | NR | 2 |
| 10 | C0192.01.12 | M12 WASHER | M12 | NR | 4 |
| 11 | C3100.07.06 | HINGE | | NR | 2 |
| 12 | C0191.01.26 | M12 SELF-LOCKING NUT | M12 | NR | 2 |
| 13 | C3000.27.04 | PLATFORM STOP | | NR | 1 |
| 13a | C3000.27.07 | SPRING RING | | NR | 1 |
| 13b | C3000.27.02 | BODY LOCKING MECHANISM | | NR | 1 |
| 13c | C3000.27.06 | SPRING D.18X1.5 | | NR | 1 |
| 13d | C3000.27.03 | PISTON | | NR | 1 |
| 14 | C0190.03.14 | SCREW T.C.E.I. | M8x110 | NR | 2 |
| 15 | C0097.09.07 | BLADE PLATE | | NR | 2 |
| 16 | C0097.00.01 | FOOTBOARD SPRING | | NR | 2 |
| 17 | C0191.01.24 | SELF-LOCKING NUT M8 | M8 | NR | 2 |
| 18 | C3030.41.03 | BOX SAFETY C55 RI | RI / RIA / AC | NR | 1 |
| 19 | C2047 | BOLT | M6x16 | NR | 2 |
| | C0190.02.00 | SCREW T.C.E.I. | M6X16 | NR | 2 |
| 20 | C1052.00.03 | KNOB | M6x25 | NR | 2 |
| 21 | C3030.41.06 | SAFETY DEVICE ARM | HI / HAC | NR | 1 |
| 22 | C3030.41.05 | SAFETY DEVICE SKIP | HI / HAC | NR | 1 |
| 23 | C3300.02.13 | FILTER CAP | | NR | 2 |



CRD.71.002.0


| # | Code | Description | Specification | UM | Qty |
|----|-------------|--------------------------------|------------------------------|----|-----|
| 1 | C3260.01.05 | DASHBOARD | C7X-700_H2 & C8X-800_H3 | NR | 1 |
| 2 | C3260.03.52 | THERMOFORMED CONSOLE | C7x-700_H2_RI & C8X-800... | NR | 1 |
| 2 | C3260.03.53 | THERMOFORMED CONSOLE | C7x-700_H2_AC/HI & C8X-... | NR | 1 |
| 2 | C3260.03.54 | THERMOFORMED CONSOLE | C7x-700_H2_HAC & C8X-80... | NR | 1 |
| 3 | C3260.13.16 | HANDLE | | NR | 1 |
| 4 | C3160.06.16 | COVER LATERALE SX | C7X-700_H2 / C8X-800_H3 | NR | 1 |
| 5 | C3160.06.07 | RIGHT SIDE COVER C55 | C55 / C7X-700_H2 / C8X-80... | NR | 1 |
| 6 | C3200.02.08 | PROTECTION | RI / RIA / AC | NR | 1 |
| 6a | C3200.02.07 | PROTECTION | HI / HAC | NR | 1 |
| 7 | C3200.02.16 | ABS TANK PROTECTION | RI / RIA / AC | NR | 1 |
| 7a | C3100.02.15 | CARTERINO | C55 HI / HIAC | NR | 1 |
| 8 | C3200.02.01 | UPPER LATERAL COVER | | NR | 2 |
| 9 | C3200.02.03 | LOWER LATERAL COVER | | NR | 2 |
| 10 | C3100.00.03 | C3100.00.03 | | NR | 1 |
| 11 | C3010.04.02 | CORK | | NR | 1 |
| 12 | C0192.10.08 | SQUARE THICKENED WASHER M | | NR | 4 |
| 13 | C3260.01.08 | PROTECTION | | NR | 1 |
| 14 | C3260.01.19 | TUBE PROTECTION | | NR | 1 |
| 15 | C1120.00.03 | HEADPHONE C85-C60-C55 NEW TYPE | Ø10x12 | NR | 6 |
| 16 | C3100.02.09 | CARRIER CAP C55-60 | | NR | 1 |



CRD.20.004.0


| # | Code | Description | Specification | UM | Qty |
|------|----------------|--------------------------------|---------------------|----|-----|
| 1 | C1074.00.26 | HYDRAULIC MOTOR | C55 / C6.60 | NR | 2 |
| 1a | C1023 | TAB | 10x8x20 | NR | 1 |
| 1CKG | C1074.00.06.KG | HYDRAULIC MOTOR GASKET KIT | C6.50 / C55 / C6.60 | NR | 2 |
| 2 | C3220.14.02 | VALVE | | NR | 2 |
| 3 | C0192.01.12 | M12 WASHER | M12 | NR | 8 |
| 4 | C1074.90.02 | HYDRAULIC MOTOR THICKNESS 1 MM | 1mm | NR | 1 |
| 4 | C1074.90.04 | HYDRAULIC MOTOR THICKNESS 1.5 | 1.5mm | NR | 1 |
| 5 | C0190.25.04 | TE PIN M12X35 | M12x35 | NR | 8 |
| 6 | C3040.10.00 | HUB | C55 / S60 | NR | 1 |
| 7 | C3040.09.52 | DRIVING WHEEL | | NR | 1 |
| 8 | C0190.34.04 | BOLT | M10x30 | NR | 5 |
| 9 | C3040.11.05 | CINGULUS | 180 | NR | 2 |
| 10 | C2012.00.02 | WASHER | M8x48x8 | NR | 2 |
| 11 | C0190.33.03 | FLANGED TE SCREW 8X25 | M8x25 | NR | 2 |
| 12 | C0190.04.09 | SCREW T.C.E.I. | M10x50 | NR | 4 |
| 13 | C3040.10.09 | DRIVE WHEEL SPACER C55- | | NR | 2 |

| # | Code | Description | Specification | UM | Qty |
|-----|-------------|-------------------------------|-------------------|----|-----|
| 1 | C1036.01.00 | WASHER | | NR | 16 |
| 2 | C1068 | BEARING | 6304 | NR | 20 |
| 3 | C1035.00.54 | IDLER WHEEL C 6.55 C6.60 | 6 | NR | 2 |
| 4 | C1304.01.12 | NUT | | NR | 2 |
| 5 | C1304.01.11 | TENSIONER | | NR | 2 |
| 6 | C1304.01.27 | IDLER WHEEL SUPPORT W/ SPRING | C55 | NR | 2 |
| 7 | C2027.00.01 | ROLLER SCREW | M8x10 | NR | 4 |
| 8 | C1135 | AXIS | Ø20 | NR | 2 |
| 9 | C2025 | SELF-BLOCKING DICE | M20 | NR | 10 |
| 10 | C2004 | WASHER | M20 ZN | NR | 22 |
| | C0192.01.20 | WASHER | M20 | NR | 22 |
| 11 | C1036.00.50 | ROLLER | | NR | 8 |
| 12 | C1046 | SPACER | 21x27x90 | NR | 8 |
| 13 | C2071.00.04 | BOLT | M20x200 | NR | 6 |
| 14 | C1047 | GREASER | M6 | NR | 12 |
| | C0094.01.01 | GREASER | M6 | NR | 12 |
| 15 | C3240.05.00 | OSCILLATING | | NR | 2 |
| 16 | C3040.06.00 | SPACER | | NR | 2 |
| 17 | C1035.03.05 | SPACER | h=10 | NR | 8 |
| 18 | C2071.00.02 | SCREW TCEI 20X180 | M20x180 | NR | 4 |
| 19 | C3140.01.10 | OSCILLATING ROLLER C55 | | NR | 2 |
| 20 | C1035.03.04 | SPACER | h=8 | NR | 4 |
| 21 | C1046.00.02 | ROLLER SPACER 27X40 | | NR | 2 |
| 22 | C0192.06.12 | WASHER | sp. 1,5 mm | NR | 4 |
| 23 | C1036.05.03 | WASHER | Ø20xØ60 | NR | 4 |
| 24 | C1304.01.23 | SUPPORT | | NR | 2 |
| 25 | C0097.09.10 | SPRING ASSEMBLY | | NR | 4 |
| 25a | C0190.03.14 | SCREW T.C.E.I. | M8x110 | NR | 4 |
| 25b | C0097.09.12 | PLATE | | NR | 4 |
| 25c | C0097.04.02 | TRACK TENSIONER SPRING | | NR | 4 |
| 25d | C0097.09.01 | THREADED PLATE | | NR | 4 |
| 25e | C2029.00.01 | CONICAL POINT GRADE M6X6 | M6x6 Punta Conica | NR | 4 |
| 26 | C1304.01.24 | SUPPORT | | NR | 4 |




CRD.20.006.0

| # | Code | Description | Specification | UM | Qty |
|-----|-------------|-----------------------------|------------------|----|-----|
| 1 | C1259.02.00 | BRAKE HANDLE | | NR | 1 |
| 1a | C1259.01.00 | COMMAND | | NR | 1 |
| 1b | C1259.02.07 | BRAKE SYRINGE | | NR | 1 |
| 1c | C3000.27.06 | SPRING D.18X1.5 | | NR | 1 |
| 1d | C1259.02.08 | SPRING GUIDE FOR BRAKE | | NR | 1 |
| 2 | C3040.12.12 | BRAKE CABLE WITH C55 SHEATH | | NR | 1 |
| 3 | C3040.07.00 | BOLT | | NR | 1 |
| 4 | C3040.13.06 | SPRING | | NR | 2 |
| 5 | C3040.13.08 | SEGER | Ø14x1 est DIN471 | NR | 2 |
| 6 | C3040.13.02 | BELLOWS | | NR | 2 |
| 7 | C3040.07.11 | SHEATH SIDE BRAKE LOCK | | NR | 1 |
| 8 | C1207.02.01 | BARREL 8X15 | | NR | 1 |
| 10 | C3010.20.01 | CPT ACCELERATOR CABLE | C55/C60 Kohler | NR | 1 |
| 10 | C3010.20.05 | CPT ACCELERATOR CABLE | C55/C60 Honda | NR | 1 |
| 10a | C3010.20.11 | RED ACCELERATOR KNOB | | NR | 1 |




CRD.20.008.2

| # | Code | Description | Specification | UM | Qty |
|----|-------------|--------------------------|---------------|----|-----|
| 1 | C1097.00.05 | OIL LEVEL DIPSTICK | | NR | 1 |
| 2 | C0191.01.97 | NUT | 1" | NR | 1 |
| 3 | C3050.04.11 | HYD OIL FILTER | 1" | NR | 1 |
| 4 | C0020.11.11 | REDUCTION CAP M-F 1-3/4 | 3/4" - 1" | NR | 1 |
| 5 | C0020.06.07 | BOND WASHER 1 | 1" | NR | 1 |
| 6 | C0091.02.05 | O-RING | Ø47,22 x 3,53 | NR | 1 |
| 7 | C1168.01.20 | WASHER | 1- 1/4" | NR | 1 |
| 8 | C1650.01.15 | HYD OIL FILTER | 1 1/4"- 1/2" | NR | 1 |
| 9 | C3150.01.98 | C55-C60 FLANGE WITH VENT | | NR | 1 |
| 10 | C0191.01.98 | NUT | 1-1/4" | NR | 1 |
| 11 | C0091.03.03 | O-RING 56.82X2.62 | OR2-140 | NR | 1 |
| 12 | C3150.01.16 | HYDRAULIC THANK | | NR | 1 |
| 13 | C0190.32.03 | BOLT | M6x20 | NR | 7 |
| 14 | C3150.01.11 | CABLE TIE | | NR | 1 |
| 15 | C3150.01.12 | GASKET | | NR | 1 |
| 16 | C0020.06.09 | BOND WASHER 1 1/4 | 1-1/4" | NR | 1 |
| 18 | C3150.01.95 | TANK SUCTION HOSE | | NR | 1 |
| 19 | C3150.01.09 | FILTER GASKET | | NR | 1 |
| 20 | C0191.04.16 | BARREL NUT | M8x30 | NR | 2 |
| 21 | C0192.01.08 | FLAT WASHER M8 | M8 | NR | 2 |
| 22 | C0190.23.06 | T.E. SCREW M8X40 | M8x40 | NR | 2 |



CRD.71.009.0

| # | Code | Description | Specification | UM | Qty |
|----|-------------|--------------------------------|-----------------------|----|-----|
| 1 | C3150.01.90 | FILTER SUCTION HOSE C55 C6 | | NR | 1 |
| 2 | C0091.03.02 | O-RING 22.22X2.62 | OR130 | NR | 1 |
| 3 | C0190.02.06 | SCREW T.C.E.I. | M6x35 | NR | 4 |
| 4 | C0020.01.06 | NIPLES | 3/4" MM MM | NR | 1 |
| 5 | C0020.06.06 | BOND WASHER 3/4 | 3/4" | NR | 1 |
| 6 | C0020.06.03 | BOND WASHER 3/8 | 3/8" | NR | 8 |
| 7 | C0020.01.03 | NIPPLES 3/8 GAS | 3/8" MM MM | NR | 8 |
| 8 | C3220.10.25 | HYDRAULIC HOSE | | NR | 2 |
| 9 | C3220.10.28 | HYDRAULIC HOSE | | NR | 1 |
| 10 | C3220.02.30 | TOWING DISTRIBUTOR C55-C75 | | NR | 1 |
| 11 | C3220.10.21 | HYDRAULIC HOSE | | NR | 2 |
| 12 | C3220.10.22 | HYDRAULIC HOSE | | NR | 2 |
| 13 | C0020.14.33 | AD 90° ORIENT.M M 3/8 | 3/8" MM MM | NR | 4 |
| 14 | C3020.43.01 | DINOIL GUIDE LEVER SPACER | | NR | 2 |
| 16 | C0191.01.15 | M10 FLANGED NUT | M10 | NR | 4 |
| 18 | C1189.07.01 | THREADED ROD | | NR | 2 |
| 19 | C1189.07.11 | ROD WITH KNOB | M10x125 | NR | 1 |
| 20 | C1053.10.12 | M10 KNOB | | NR | 2 |
| 21 | C0020.07.02 | DRILLED BOLT | 1/4" | NR | 2 |
| 22 | C0020.06.02 | BOND WASHER 1/4 | 1/4" | NR | 4 |
| 23 | C0020.11.04 | REDUCTION CAP M-F 1/2-1/4 | 1/2" - 1/4" - 1/4" | NR | 1 |
| 24 | C0020.06.04 | BOND WASHER 1/2 | 1/2" | NR | 1 |
| 25 | C3060.04.21 | DINOIL C60 DISTRIBUTOR BRACKET | | NR | 1 |



CRD.71.018.0

| # | Code | Description | Specification | UM | Qty |
|----|-------------|------------------|---------------|----|-----|
| 1 | C3260.05.25 | ENGINE BONNET | Yanmar | NR | 1 |
| 2a | C0096.81.08 | GASKET 0° | | NR | 1 |
| 2b | C0096.82.08 | GASKET | | NR | 1 |
| 5 | C3060.08.06 | HINGE | | NR | 2 |
| 7 | C0190.52.04 | BOLT | M6x20 | NR | 2 |
| 8 | C3260.05.09 | HOOD FRAME | | NR | 1 |
| 9 | C3060.08.17 | LOCK | | NR | 1 |
| 10 | C0060.02.00 | DOCUMENT HOLDER | Ø55 | NR | 1 |
| 15 | C3260.05.08 | FRAME RIGHT SEAL | | NR | 1 |
| 16 | C3260.05.07 | FRAME LEFT SEAL | | NR | 1 |
| 22 | C3260.05.03 | LOCK STRIKER | | NR | 1 |
| 26 | C0192.01.61 | WASHER | M6x18 | NR | 2 |