



MAKINEX®

**TOOL AND POWER
INNOVATION COMPANY**

MAKING INEFFICIENCIES EXTINGUISHED

JULY 2025





MAKINEX®

We are the Tool and Power Innovation Company

Since 2004 Makinex has been designing tools and equipment that are innovative and award-winning. It is this cutting-edge dedication to providing products that are faster, safer and easier to use that sets us apart.

All our products are carefully researched and pre-tested to meet the needs of the toughest industries in the world – construction, rental, flooring, concrete, landscaping and related industries.

We pride ourselves on designing, manufacturing and distributing unique products that enhance productivity, save time and decrease physical effort.

Table of Contents

Our Innovation Range.....	1
Powered Hand Truck	2
Hose2Go	3
Dual Pressure Cleaner	4
Dual Pressure Washer	5
MS-20 Mixer	6
MS-100 Mixing Station.....	7
MS-150 Mixing Station	8
Concrete Grinder.....	9
Jackhammer Trolley.....	10
Tile Smasher Heads and Accessories	11
Floor Stripper	12
Mobile Charge Pod	13
Portable Power Boxes	14-15
Generators.....	16-17
Earthmoving	18-19
Connect with Makinex	20
Our Awards	21



OUR INNOVATION RANGE

Surface Cleaning



Surface Preparation



Lifting and Loading



Power Solutions



Earthmoving



POWERED HAND TRUCK (PHT)

PHT2-140-AU

The Ultimate Materials Handling Lift & Load Solution

Raise your lifting game. With a solo 140kg lift capacity, it's your partner in workshops, warehouses, and beyond. Battery-powered for up to 50 cycles per charge, it eliminates fatigue and risky two-person lifts. Goodbye costly forklifts and licenses. Foldable and portable, it's your go-anywhere lifting solution. Charge up, lift more, and transform how you work safely.


- Solo lift up to 140kg
- Battery powered with up to 50 lifts per cycle
- Reduce back injuries and operator fatigue

Ideal For

- Workshops
- Warehouses
- Factories and depots
- Rental
- Distribution companies

Specifications

Machine weight	Total 40kg handle end – 15kg wheel end – 25kg
Weight of fork attachment only	20kg
Maximum lift capacity	Up to 140kg
Lift range / height (of hook attachment)	Ground level up to 1.9m
Lift range / height (of fork attachment)	Ground level up to 1.55m
Folded dimensions	L: 2000mm x W: 740mm x H: 265mm
Linear actuator power	12V DC, 25 amp
Lift cycles per charge	Approx. 50 lift cycles



FEATURES



**Solo Lift
Up to 140kg**



**Battery Powered
with Up to
50 Lifts Per Cycle**



**Portable,
Fold Flat**

Accessories



Fork
PHT2-FA-00



Big Wheels
PHT2-09R, PHT2-09L



Nose Extension
PHT2-08



Sling
PHT2-SA-00



Strap Frame
PHT2-140-SF



HOSE2GO

H2G-14



FEATURES



Concrete
Coring



Concrete
Cutting



Dust
Suppression



Portable
Pressurised
Water Supply



Blade Cooling

Constant Pressure Water Supply Unit Without a Battery or Pump

The ultimate portable pressurised water solution. Forget manual pumping and complicated electrics. This pumpless system delivers 13.8L of portable pressurised water (7-10 psi) for dust suppression, blade cooling, and more, for up to 30 minutes. No batteries, no electricity, no worries. Lightweight and ergonomic, offering two carry positions. It's not just a tool – it's a versatile solution for convenience and compliance.

Specifications	
Dimensions	L: 325mm x W: 144mm x H: 800mm
Weight (dry)	5.7kg
Weight (full)	19.5kg
Full tank capacity	13.8L
Continuous output pressure	7-10 psi

Inclusions

1. Spray gun
2. Hose 3m
3. Tap adaptor
4. Screw on quick connect hose fitting
5. Quick connect stop valve hose fitting
6. Strap attachment



DUAL PRESSURE CLEANER 2500 (DPC)

DPC-2500



FEATURES



Spray Gun
and Wand



Rotary Cleaner



Telescopic Handle



Lightweight



Briggs & Stratton
Gasoline Engine

2 in 1 Pressure Cleaner – Cleans 3x Faster

Redefining cleaning power. Combining a pressure wand and rotary surface cleaner, the DPC delivers 2500 psi control all in one machine. It blitzes through dirt and grime at 3x the speed, outshining its rivals. With a mere 40kg weight, it's compact, lightweight, and versatile – a dynamic companion for driveways, walls, and ceilings. This 2in1 marvel seamlessly toggles between rotor and wand through a single handle turn. Whirl a way, pump, and engine merge into a compact powerhouse. Conquer tough spots with the telescopic adjustable handle.

Ideal For

- Vertical and horizontal cleaning
- Cleaning outdoor areas including tennis courts
- Cleaning driveways, paths and exterior surfaces
- Cleaning outdoor furniture
- Cleaning vehicles, motorbikes and trailers



Specifications 2500

Dimensions (handle folded)	L: 835mm x W: 480mm x H: 1030mm
Weight	40kg
Hose length	10m
Sound level at handle	80 dBA full load @ 3,600 rpm
Gas engine	Briggs & Stratton
Fuel tank capacity	3.1L
Fuel	Unleaded 86 octane or higher
Pump	AR Triplex pump
Pressure range	2500 psi (fixed)
Rotary size	450mm
Flow Rate	10.8 L/min

SURFACE CLEANING

DUAL PRESSURE WASHER 4000 (DPW)

DPW-4000 | DPW-4000-KS

2 in 1 Commercial Pressure Cleaner – Cleans 3x Faster

Your Ultimate All-in-One Pressure Washing Solution. This remarkable machine combines a pressure wand and rotary cleaner, offering adjustable pressure control from 1000 to 4000 psi. Tackle a heavy-duty job with ease. It boasts an impressive 3x speed in coverage compared to rivals, ensuring efficiency like never before. Safety is paramount, with advanced features like a front wheel lock to prevent rolling. Switch effortlessly between rotor and wand through a simple handle turn. Packing up is a breeze with the foldable handle, while the 610mm precision-made surface cleaner, hose reel, and large wheels add practicality.

Ideal For

- Heavy duty cleaning
- Versatile cleaning
- Vertical and horizontal cleaning
- Cleaning outdoor areas including tennis courts, parking lots, residential and commercial
- Cleaning driveways, paths and exterior surfaces
- Cleaning greasy workshop and floors
- Cleaning trucks and machinery

Specifications 4000	
Weight	107kg
Pressure range	1000-4000 psi
Hose length	10m
Engine noise level	76dBA
Pump	Heavy duty AR Triplex with gear reduction, thermal release valve, external bypass
Fuel tank capacity	6.1L
Liters per minute	15L/min
Rotary size	610mm
Engine	Honda GX390
Overall width	620mm
Height (with handle folded)	875mm
Length (with handle folded)	1360mm





Adjustable Pressure from 1000 to 4000 PSI



Premium Italian AR Pump



13 HP Honda Engine



Key Start Option Available



Spray Gun and Wand



610mm Rotary Cleaner



MS-20 MIXER

MS-M-AU-1450

A powerful 1-bag mixer engineered to deliver exceptional performance applications such as flooring, tiling, and concrete remediation

The Makinex MS-20 Mixer 1450W, a powerful 1-bag mixer, is engineered to deliver exceptional performance for demanding applications such as flooring, tiling, and concrete remediation. Featuring a high-torque 2-speed motor with variable control, it ensures perfect mixing consistency every time. The ergonomic design, including a soft handle, enhances comfort and reduces operator fatigue during extended use. Built for durability and long-term reliability, the MS-20 Mixer includes a 1450W mixing drill, two connecting rods, a right-hand and a left-hand helix paddle and a 10cm extension rod. This versatile mixer seamlessly integrates into existing surface preparation fleets, offering a robust and efficient solution for a broad range of industrial applications. For even larger mixing jobs, consider our MS-100 and MS-150 models, which provide enhanced capacity and performance to meet the needs of more demanding projects.

Ideal For

- Flooring and Tiling Contractors
- Demolition Contractors
- Concrete Remediation
- Fit-out Contractors
- General Construction

Benefits

- 2-Speed Motor
- 1450W Mixer
- 1 Bag Mixer



Specifications MS-20 Mixer 1450W	
Voltage	230V
Frequency	50Hz
Operator Weight	7kg
Gross Weight	8.9kg
Motor	1450W
Dimensions	L: 450mm x W: 330mm x H: 235mm
No-Load Speed	1 st gear 150-300 rpm
	2 nd gear 300-650 rpm
Over Current Protection	Yes
Over Heating Protection	Yes

FEATURES



Versatile Attachments
Right and Left-handed
helix paddles included



Ergonomic
Design



Compact and Light
Weight: 8.1kg



Durable and
Long Lasting



Voltage
Compatibility:
230V



Powerful
1450W Motor

MS-100 MIXING STATION

MS-M-AU | MS-100 | MS-100-M-AU

Portable, Fast and Easy Flooring Materials Mixing Station

Elevate your flooring process with the Makinex Mixing Station MS100. Mix up to 4 bags in 3 minutes for precise pouring and less waste. Save time, labour, and costs while ensuring an ergonomic and lightweight experience. Say goodbye to spills with the removable lid and enjoy easy clean-up.

- Perfect mix and pouring every time
- Mix up to 4 bags in 3 minutes
- Save time and money

Specifications	Mixing Station
Height handle attached (operating)	1070mm-1300mm
Height handle detached (transport)	780mm
Overall width	540mm
Overall length	626mm
Length of handle adjustment	250mm
Weight (without stirrer/mixer)	18kg

Specifications	Mixer
Weight (w/o paddle)	5kg
Voltage	230V
Hertz	50Hz
Current	7.5A
Watts	1800w
Amps	18 (full load)
Speeds	2
RPM Range (variable)	1 st gear 150-300 rpm 2 nd gear 300-650 rpm

Ideal For

- Flowable materials
- Mixing epoxies and self-leveling cements
- Floor preparation




Ergonomic



Lightweight



Universal
Vacuum Port



Station and mixer can be sold separately



FEATURES



Removable Dust Splash and Bucket



Easy Tilt Operation for Precision Pouring

MS-150 MIXING STATION

MS-M-AU-2200 | MS-150-AU | MS-150-04-02-KIT

Portable, Fast and Easy Flooring Materials Mixing Station

Large, portable, fast and easy flooring materials mixing station redefining flooring mixing, the MS150 Mixing Station is a portable powerhouse, blending up to 6 bags in 7 minutes while ensuring precise pouring and reduced waste. Save time and labour while relishing an ergonomic lightweight design that curbs operator fatigue and injury. With a removable vacuum attachment for spills and dust suppression, achieve meticulous mixing and pouring within the single unit.

- Perfect mix and pouring every time
- Mix 6 bags in 7 minutes
- Save time and money

Specifications	Mixing Station
Height handle attached (operating)	1084mm-1327mm
Height handle detached (transport)	1034mm
Overall width	612mm
Overall length	740mm
Length of handle adjustment	243mm
Weight (without makinex electric mixer and helix paddle)	22kg
Weight (with makinex electric mixer and helix paddle)	33kg

Specifications	Mixer
Weight	6.5kg
Voltage	230V
Hertz	50Hz
Current	9.6A
Watts	2200w
Speeds	2
RPM Range (variable)	1 st gear 150-300 rpm 2 nd gear 300-650 rpm

Ideal For

- Flowable materials
- Mixing epoxies and self-leveling cements
- Floor preparation



Ergonomic



Lightweight



Mixes
6 Bags



FEATURES



Hose Connector



Easy Tilt Operation for Precision Pouring

SURFACE PREPARATION

CONCRETE GRINDER

CG-2050-AU

A Robust Tool for Grinding, Polishing, and Finishing Concrete Surfaces






The Makinex Concrete Grinder is your go-to for grinding, polishing, and finishing concrete surfaces, offering exceptional adaptability. This grinder excels in leveling floors and with its removable magnetic shroud ensures flawless edge grinding. CE certified and equipped with power-off and overloading protections, it's a reliable choice. The outlet port accommodates vacuum attachment, maintaining a clean environment. Compatible with standard 180mm diamond or resin grinding discs, this tool effortlessly removes surface coatings like epoxy and paint from concrete floors.

Specifications Concrete Grinder	
Dimensions	L: 450mm x W: 330 x H: 235mm
Net weight	7kg
Application	Concrete
Voltage	230V
Hertz	50Hz
Watts	2050W
Speed	0-3000r/min
Power-off and Overload Protection	Yes

Ideal For

- Polishing
- Concrete grinding
- Finishing concrete surfaces
- Leveling floors
- Precise edge grinding

Inclusions

 Allen Key	 Dust Skirt
 Polishing and Grinding Discs	 Vac Port Attachment
 Wire Type Wrench	



FEATURES

 Removable Dust Cover for Edge Grinding	 Power Off and Overload Protection	 Vacuum Outlet Port	 Variable Speed and Trigger Lock	 Compatible with 180mm Diamond and Resin Grinding Discs	 Ergonomically 2-Handed Controls Constant Pressure
--	---	--	---	--	---

JACKHAMMER TROLLEY

JHT-U-2

A Versatile Demolition Tool that Removes Floor Tiles, Hardwood, and Mortar Beds

Demolish with unmatched speed. Rip through ceramic tiles, thinset, and more up to 6 times faster. The innovative design reduces impact and fatigue, with 80-degree angles across 5 settings. Streamlined and robust, the trolley boasts an easy-to-use spring and brake lever for angle adjustments and an inbuilt dampening system that minimizes impact, vibration, injury risk, and muscle fatigue.

Specifications

Weight (trolley without jackhammer)	27.5kg
Dimensions (trolley without jackhammer)	L: 1110mm x W:570mm x H: 540mm
Suitable for 19kgs jackhammer models	Hikoki H65SB3, Bosch GSH16, Dewalt D25901K-XE, Hilti 1000 & 1500, Hitachi H65, Makita 1307 & 1317 & HM1511

Accessories



Universal Block Set
JHTB-U-2




Handle Grips
MAK-UP-10-V2



Brake Lever and Cable
JHT-99-63-V2



Vacuum Attachment
JHT-VA-01-00



FEATURES

6x
Faster

Demolish Up to
6x Faster



5 Different
Positions, Ranging
from 20-80 Degrees



Reduce Injury
and Back Strain



TILE SMASHER HEADS AND ACCESSORIES

Precise Demolition Tools for the Fast and Efficient Removal of Tiles, Mortar Beds, and More

The Makinex Tile Smasher Head and accessories are expertly engineered for the fast and efficient removal of tiles, mortar beds, and more. Designed for use with breakers up to 19kgs it pairs seamlessly with the Makinex Jackhammer Trolley, offering enhanced productivity while minimising user fatigue.

For lighter handheld breakers up to 10kgs, the SDS Plus and SDS Max options deliver exceptional versatility and precision. All versions feature a high-tensile steel head, replaceable blades, and a secure tapered locking mechanism.

Additionally, the Flippable Wide Chisel accessory is designed for maximum durability, making it the perfect companion for demanding demolition tasks on both concrete and wooden surfaces.



FEATURES



SDS Max and Plus Options



High-Tensile Steel head with Replaceable blades

Ideal For

- Construction
- Renovators
- Rental
- Demolition

Demolition Products



Tile Smasher Complete Short Shank
TSHC-SS-AU-V2



Flippable Wide Chisel
WCAU-404



SDS Max
TSH-SDS-MAX



SDS Plus
TSH-SDS-PLUS



Tile Smasher Head, with Hilti HEX Shank
TSHC-HS-US-V2



Tile Smasher Blade
TSH-B




Tile Smasher Attachment Bolts,
TSH-BS-V2-KIT



SDS Blade and Bolt Kit
TSH-SDS-B-KIT

FLOOR STRIPPER

VS-125



FEATURES



Large Rear Wheels



Quite Operation



Telescopic handles



Flippable blade



16kg removable weight

Heavy Duty Industrial Floor Stripper for removal of Vinyl, Carpet and Cork.

Unleash efficiency in floor removal. Designed for commercial might, this machine tackles vinyl, glued carpet, cork, and more. It's a workhorse built tough, resilient, and transport-ready with a removable blade weight. Embrace the power of low noise operations, complemented by an ergonomic telescopic handle. Say goodbye to manual tools – this stripper reduces fatigue and injury risk.

Specifications	
Weight	48kg
Removable Weight	16kg
Max Length	917mm
Max Height	896mm
Max Width	366mm
Motor	¾ Horsepower

Ideal For

- Construction
- Hire
- Renovations
- Floor Preparations



MOBILE CHARGE POD (MCP)

MCP-6-SS-AU



6x Secure Lockers



Lightweight



Large
Inspection Holes



IP33 Rated



Single 15A Supply



Air Ventilation

Safe, Fire Retardant On-Site Battery Storage and Charging

Redefining on-site battery storage and charging. The Mobile Charge Pod offers a safe haven for your power products, providing a simple and organized solution for contractors and tradespeople. With 6 easy-to-use lockers accommodating various tool and battery types, it's a fire-resistant design crafted by and for Tier 1 Contractors that will relieve stress from equipment loss and battery downtime. Lightweight yet robust, it surpasses metal lockers, with forklift pockets for transportation convenience.

Ideal For

- Construction
- Rental
- Jobsites
- Service/repair shops
- Automotive shops
- Safe and compliant storage (AS/NZS 3190 and AS/NZS 3012 as a portable socket outlet assembly (PSOA))
- Warehouse Assembly Line

Benefits

- Fire retardant
- Easy-to-use GFCI protected lockers
- Protected GPO for each locker

Specifications	
Size	W: 1480mm x D: 430mm x H: 1370mm
Weight	74kg
Dimensions at the front of locker	W: 580mm x H: 330mm x D: 370mm
GPO Outlets	10A double pole twin GPO locker with 15amp power source lead
Material	Super tough, UV stabilised & V2 fire rated polyethylene
IP Rating	IP33
Compliance suitable for construction sites	AS/NZS 3190 and AS/NZS 3012 as a portable socket outlet assembly (PSOA)



PORTABLE POWER BOX (PPB) SERIES

PPB-5-5-AU | PPB-5-10-AU | PPB-8-15-AU



PPB 5-5



PPB 5-10

FEATURES



**Highly
Portable**



**Single
Phase**



**Quick
Charge**



**AC and PV
Charging Inputs**

Portable Power Box (PPB) Solution

The Makinex Portable Power Box (PPB) series is a versatile range of high-capacity, portable power storage devices designed for various industries and applications. Emissions-free and whisper-quiet, these units provide reliable power for both indoor and outdoor use without the need for fuel.

Each PPB model is equipped with advanced safety features, such as RCD protection, touch-safe solar PV connectors, thermal overload protection, and a battery management display. With plug-and-play power plugs, USB-A and USB-C (quick charge 5V-3A) outlets, and easy transportability, the PPB series delivers safe, clean power wherever and whenever needed.

Whether for concrete cutting, mobile catering, event management, film production, emergency backup, or confined space applications, the Makinex PPB series offers tailored solutions to meet diverse power needs.

Ideal For

- Indoor environment
- Outdoor environments
- Events
- Construction
- Mining
- Film studios
- Confined Spaces



PPB 8-15



PPB 8-15 Concrete Coring

Specs	PPB 5-5	PPB 5-10	PPB 8-15
Power Output	5kW	5kW	8kW
Battery size	5kWh	10kWh	15kWh
Outlets	2 x 15Amp 230V	2 x 15Amp 230V	3 x 15Amp 230V (20 Amp optional)
Inlet	10Amp - 230V, and 4kW Solar	10Amp - 230V, and 4kW Solar	10Amp - 230V, and 4kW Solar
Charging time	80% - 2.5 hr, 100% - 3 hrs	80% - 5 hrs, 100% 6 hrs	80% - 6 hrs, 100% 7.5 hrs
Peak surge	10kW 5 seconds	10kW 5 seconds	16kW 5 seconds
Dimensions	L: 460mm x W: 660mm x H: 690mm	L: 600mm x W: 660mm x H: 690mm	L: 972mm x W: 516mm x H: 931mm
Weight	95kgs	145kg	205kg

GENERATORS

GEN-10P-AU-240-20 | GEN-16P-AU | GEN-23P-AU-V2 | GEN-32P-AU



10kVA Power Generator

- Compact, no tow-behind
- Radial flux alternator
- 6L fuel tank
- RCD and RCBO protection



Light, portable 10kVA 415/240V generator. This light, compact 10kVA petrol generator conveniently powers single phase and 3-phase equipment at the same time.

Power Specifications

Dimensions	L: 58cms x W: 61cms x H: 117cms
Dry Weight	100 kgs
Voltage	415V/240V
Max Rated Output	10kVA/8kW*
Max Amps 1 PH	11A @ 240V
Max Amps 3 PH	11A @ 415V
No. Poles	2-pole
Frequency	50Hz

Engine Specifications

Motor	Honda GX390
HP	13hp
Fuel Type	Petrol
Starting System	Pull Start
Cooling System	Air cooled
Fuel Economy @ 50% load	2.3 L/hr
Fuel Tank Capacity	6L
Run Time 50% load	2.7 hrs
Noise @ 7m / 23ft, 50% load	72 - 76dB

*Max cumulative power across provided sockets

16kVA Power Generator

- Compact, no tow-behind
- Radial flux alternator
- 34L fuel tank
- RCD and RCBO protection



Highly portable 16kVA 415/240V generator. With single-and-three phase outlets on-board get straight to work with this highly portable petrol generator.

Power Specifications

Dimensions	L: 77cms x W: 53cms x H: 90cms
Dry Weight	155 kgs
Voltage	415V/240V
Max Rated Output	16kVA/12.8kW*
Max Amps 1 PH	15A @ 240V
Max Amps 3 PH	17.8A @ 415V
No. Poles	2-pole
Frequency	50Hz

Engine Specifications

Motor	Honda GX690
HP	22.1hp
Fuel Type	Petrol
Starting System	Electric/Key Start
Cooling System	Air cooled
Fuel Economy @ 50% load	4.9 L/hr
Fuel Tank Capacity	34L
Run Time 50% load	6.1 hrs
Noise @ 7m / 23ft, 50% load	72 - 76dB

*Max cumulative power across provided sockets

POWER SOURCE

23kVA Power Generator

- Compact, no tow-behind
- Radial flux alternator
- 50L fuel tank
- RCD and RCBO protection



With the world’s smallest 23kVA 415/240V generator you can put power exactly where you need it. Power single & three phase equipment at the same time.

Power Specifications	
Dimensions	L: 110cms x W: 63cms x H: 103cms
Dry Weight	240 kgs
Voltage	415V/240V
Max Rated Output	23kVA/18.4kW*
Max Amps 1 PH	15A @ 240V
Max Amps 3 PH	25.5A @ 415V
No. Poles	2-pole
Frequency	50Hz
Engine Specifications	
Motor	Vanguard 40hp EFI 993CC
HP	40hp
Fuel Type	Petrol
Starting System	Electric/Key Start
Cooling System	Air cooled
Fuel Economy @ 50% load	5.6 L/hr
Fuel Tank Capacity	50L
Run Time 50% load	10 hrs
Noise @ 7m / 23ft, 50% load	78dB

*Max cumulative power across provided sockets

32kVA Power Generator

- Compact, no tow-behind
- Radial flux alternator
- 50L fuel tank
- RCD and RCBO protection



The world’s smallest 32kVA 415/240V single and three-phase generator can power two-single-phase tools and heavy duty three-phase 415V machines up to 32A at the same time.

Power Specifications	
Dimensions	L: 110cms x W: 63cms x H: 120cms
Dry Weight	320 kgs
Voltage	415V/240V
Max Rated Output	32kVA/25.6kW*
Max Amps 1 PH	15A @ 240V
Max Amps 3 PH	32A @ 415V
No. Poles	2-pole
Frequency	50Hz
Engine Specifications	
Motor	Honda GX690 X 2
HP	44hp
Fuel Type	Petrol
Starting System	Electric/Key Start
Cooling System	Air cooled
Fuel Economy @ 50% load	9.8 L/hr
Fuel Tank Capacity	50L
Run Time 50% load	10 hrs
Noise @ 7m / 23ft, 50% load	72 - 76dB

*Max cumulative power across provided sockets

FEATURES



Electric/
Key Start



Single
Phase Sockets



Three
Phase Sockets



Large
Fuel Tanks



Highly
Portable

Most compact generators on the market
15% more power from the same engines

3-phase and single-phase capacity
Easy to position near work area

EARTHMOVING

EARTHMOVING



Canycom S120A Mini Dumper S120

A multi-function tracked-dumper for any application

The Canycom S120A Mini Dumper combines a compact design with powerful performance, handling up to 1,200kg. Its pivoting bucket and heavy-duty rubber tracks ensure versatility and minimal ground impact, making it ideal for tight spaces and tough terrains.


- 1,200kg payload; climbs up to 20° slopes
- Swivel dumping for versatile applications
- Comfortable seat, wide foot space, and easy-to-reach controls
- Compact with folding ROPS and wide-opening covers
- Auxiliary valve for attachments like self-loaders

Specifications	
Machine Dimensions	L: 2670mm x W: 990mm x H: 2330mm
Engine	Kubota D902 diesel engine 20hp
Travel Speed	0-5.6km per hour
Load Capacity	1200kg
Net Weight	1100kg
Dump System	Swivel Dump
Swivel System	Hydraulic (twin cylinder)
Swivelling Angle	90 (right), 90 (left)

FEATURES



Tracked Dumpers



Compact



Tight Access



Labor and Time Saving



Loads from 400kg to 1200kg



High Tip



25hp Mini Stand-On Skid Steer SK-25D-890-AU

A multi-function tracked-dumper for any application

The Makinex 25hp Mini Stand-On Skid Steer delivers big performance in a compact 890mm-wide frame—ideal for tight-access worksites.

Powered by a 24hp Kubota diesel engine with a 1 tonne tipping load, it makes light work of digging, backfilling, spreading, and shifting heavy materials. Stand-on operation gives full 360° visibility for safer, fatigue-free use.

Made with globally sourced, premium components—including Sumitomo Riko (Japan), HANSA TMP (Italy), Danfoss (USA), and Donaldson filtration—it's tough, reliable, and versatile.

Specifications	
Power	18.2kw
Width	890mm
Ground Clearance	145mm
Track (T) Wheel (W)	T
Engine (diesel)	Kubota D1105
Speed	6.3kmh
Fuel capacity	34lt
Rated operating capacity	355kg
Hydraulic flow rate	48lpm
Hydraulic tank	45lt
Tipping capacity	1010kg
Dry weight	1230kg

EARTHMOVING



Cormidi C40 Mini Carrier C40

Multi-purpose, tracked-transporter with able flatbed

With 400kg load capacity and an extensible flatbed the Cormidi C40 is a versatile materials transporter. Lightweight and agile, it is equally useful on construction sites, landscaping and farm settings.

- Multi-purpose transporter
- Exceptionally versatile
- Practical and economical

Specifications

Machine Dimensions	L: 1670mm x W: 740mm x H: 611mm
Engine	160 5Hp Honda Petrol
Travel Speed	0-3.9km per hour
Load Capacity	400kg
Net Weight	195kg
Drive System	Mechanical
Tracks	Heavy Duty Rubber with Seesaw Roller



Cormidi C60 Mini Dumper C60_H2_HI_C | C60_Y1_HI_C

The narrowest mini-dumper with the best tip height

With 600kg load capacity and superb manoeuvrability, the labour-saving Cormidi C60 is perfect for getting soil and materials in and out of the most inaccessible job sites, efficiently and safely.

- Easy tipping into tall skips
- Stability on any surface
- Petrol or diesel engine

Specifications

Machine Dimensions	L: 1680mm x W: 695mm x H: 1675mm
Engine	Honda GX270 Petrol or Yanmar LN70 Diesel
Travel Speed	0-4km per hour
Load Capacity	600kg
Net Weight	535kg
High Tip Bucket	1.7m Tipping Height
Drive System	Hydrostatic
Tracks	Heavy Duty Rubber with Seesaw Roller



Cormidi C85 Mini Dumper C85_H3_HI_D0_S_C | C85_Y2_HI_D0_S_C C85_H3_HCW_D0_S_C

The toughest tracked-dumper under 1 tonne capacity

With 800kg load capacity, self-loading 1.45m high-tip, intuitive controls and 6km/h top speed, the Cormidi C85 lets operators single-handedly move large quantities of dirt and materials.

- Moving large volumes of earth and materials
- Confined spaces, inclined sites, rough terrain
- Tight access down alleyways and through gates

Specifications

Machine Dimensions	L: 1926mm x W: 810mm x H: 1336mm
Engine	Honda GX390 Petrol or Yanmar LN100 Diesel
Travel Speed	5.5km per hour
Load Capacity	800kg
Net Weight	566kg
High Tip Bucket	1.45m Tipping Height
Bucket Dimensions	L: 1150mm x W: 810mm x H: 375mm
Drive System	Hydrostatic
Tracks	Heavy Duty Rubber with Seesaw Roller



Cormidi C1200 Mini Dumper CMF1200_K2_S2_D6_C - HI_51_0_C CMF1200_K2_S2_D6_C - RIX_51_0_C

A multi-function tracked-dumper for any application



With 1200kg load capacity, self-loading swivel-skip or 2m high-tip the C1200 makes light work of heavy loads. Plus, using an array of hot-swap attachments it can also perform many other functions.

- Moving materials on and off job sites quickly
- Finding a mini dumper that handles 1 tonne
- Dumping stuff over high-lip skips and trucks

Specifications

Machine Dimensions	L: 2250mm x W: 865mm x H: 1500mm
Engine	Kubota D722 diesel engine 20hp
Travel Speed	0-6.9km per hour
Load Capacity	1200kg
Net Weight	923kg
High Tip Bucket	2m Tipping Height
Bucket Dimensions	L: 1350mm x W: 790mm x H: 370mm
Drive System	Hydrostatic
Tracks	Heavy Duty Rubber with Seesaw Roller


CONNECT WITH MAKINEX



Connect with Makinex on social media

OUR AWARDS

Makinex has been recognized for its commitment to innovation and excellence in industry in the industry. Some of our notable awards include:





Our Mission

In every product we design, Makinex is on a mission to make inefficiencies extinct. In fact, this driving force is embedded in our name.

We strive for continuous improvement. Always looking for innovative, practical ways to make hard jobs easier for contractors and tradespeople. So they save time, reduce physical effort and make more money.



Scan this QR code to find out more



MAKINEX®

15 Waltham Street
Artarmon NSW 2064
Phone: 1-300-795-953
Email: sales@makinex.com.au
www.makinex.com.au

Connect with us on



Products are correct at time of printing but are subject to change without notice.